

www.cmtorangetools.com

Nominal Widths	15/64"	1/4"	5/16"	11/32"	3/8"	13/32"	7/16"	15/32"	1/2"	17/32"	9/16"	19/32"	5/8"	21/32"	11/16"	23/32"	3/4"	25/32"	13/16"
Left Blade	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Right Blade	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Chipper 1/8"	0	0	0	0	1	1	1	1	2	2	2	2	3	3	3	3	3	3	3
Lock Spacer 1/16"	0	0	1	1	0	0	1	1	0	0	1	1	0	0	1	1	2	2	3
Shim 0.004"	0	0	0	1	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0
Shim 0.008"	0	0	0	1	2	1	2	2	2	2	2	2	2	2	2	2	2	2	2
Mag. Shim 0.012"	0	1	1	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0
Mag. Shim 0.020"	0	0	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0



Securely fasten CMT Dado on machine using manufacturer's recommended dado arbor nut.



Always use both outside blades. Never use the chippers by themselves, or with only one outside blade.



Cuts All Sizes from 15/64" to 13/16"

**SET INCLUDES:**


- A - Left Outside Blade 8" (qty: 1)
- B - Right Outside Blade 8" (qty: 1)
- C - Chippers 1/8" (qty: 3)
- D - Lock Spacers 1/16" (qty: 3)
- E - Shims 0.004" (qty: 5)
- F - Shims 0.008" (qty: 2)
- G - Magnetic Shim 0.012" (qty: 1)
- H - Magnetic Shim 0.020" (qty: 1)

SPARE PART SET: 299.000.09



INSTRUCTIONS ON FRONT & BACK OF INSERT MUST BE USED TOGETHER

DOWNLOAD THESE INSTRUCTIONS SHEETS FROM OUR WEBSITE



**CMT ORANGE TOOLS®**



Item # 230.312.08



**8" LOCKED 12T DADO PRO**



Includes Shims & Spacers set for micro-thin adjustability

5/8" Bore Eje/Trou



For flat bottom grooves & virtually splinter-free cuts

First ever DADO in compliance with **EU REGULATIONS** INTERNATIONAL PATENT PENDING



**Cuts All Sizes** from 15/64" to 13/16" ©

Compatible with most popular radial arm and stationary table saws



**WARNING:** Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov/wood  
**WARNING:** Cancer and Reproductive Harm - www.P65Warnings.ca.gov



OUTSIDE BLADE  
SIERRA EXTERNA  
LAME EXTÉRIEURE

BEFORE ANTES  
AVANT

THIS SIDE OUT

LOCK SPACER  
SEPARADORES  
ENTRETOISE DE BLOCAGE

LOCK KEYS  
LLAVES DE ARRASTRE  
CLÉS DE SERRAGE

FIG. 3

FIG. 4

FIG. 5

AFTER DESPUÉS  
APRÉS

# SETTING 2

# CMT ORANGE TOOLS®



ERC

Item # 230.312.08



THIS SIDE OUT

INTERNATIONAL  
PATENT PENDING



First ever DADO  
in compliance with

**EU**  
REGULATIONS




INSTRUCTIONS  
ON FRONT & BACK  
OF INSERT MUST  
BE USED TOGETHER

DOWNLOAD THESE  
INSTRUCTIONS SHEETS  
FROM OUR WEBSITE

FIG. 2

# SETTING 1



BEFORE ANTES  
AVANT

AFTER DESPUÉS  
APRÉS




FIG. 1

# SETTING 4






FIG. 9

MICRO-THIN ADJUSTMENT SHIMS  
ESPESORES DE MICROREGULACIÓN  
BAGUES DE DISTANCE



03.55.0614 VERS-2022-03



[www.cmtorangetools.com](http://www.cmtorangetools.com)

# SETTING 3

