

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	French Polish	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
Identified uses	Air drying paint/lacquer product for interior use.	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of the	he safety data sheet	
Supplier	Chestnut Products PO BOX 260, Stowmarket, IP14 9BX +44 (0) 1473 890118 +44 (0) 1473 206522 mailroom@chestnutproducts.co.uk	
1.4. Emergency telephone number		
Emergency telephone	+44 (0)1473 425878 (09:00-17:00 Mon- Fri)	
SECTION 2: Hazards identifica	ation	
2.1. Classification of the substa	ance or mixture	
Classification		
Physical hazards	Flam. Liq. 2 - H225	
Health hazards	Not Classified	
Environmental hazards	Not Classified	
Classification (67/548/EEC or 1999/45/EC) 2.2. Label elements Pictogram	F; R11	

Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.

Precautionary statements	 P102 Keep out of reach of children. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P280 Wear protective gloves/protective clothing/eye protection/face protection. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with national regulations.
Supplementary precautionary statements	 P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
Ethanol		50 - 100%
CAS number: 64-17-5	EC number: 200-578-6	
Substance with National workplace	exposure limits.	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Flam. Liq. 2 - H225	F; R11	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures		
4.1. Description of first aid measures		
General information	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.	
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.	
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting unless under the direction of medical personnel. Get medical advice/attention if you feel unwell.	
Skin contact	Wash skin thoroughly with soap and water.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	
4.2. Most important symptoms and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the	

InhalationVapours may cause headache, fatigue, dizziness and nausea. Coughing, chest tightness,
feeling of chest pressure.

Ingestion	Symptoms following overexposure may include the following: Confusion, agitation and/or excitation. May cause nausea, headache, dizziness and intoxication.	
Skin contact	Prolonged contact may cause dryness of the skin.	
Eye contact	May cause temporary eye irritation.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from the substance or mixture		
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.	
Hazardous combustion products	Hydrocarbons. Carbon monoxide (CO). Carbon dioxide (CO2). Alcohols.	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental release	se measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Evacuate area. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Wear protective clothing as described in Section 8 of this safety data sheet. Promptly remove any clothing that becomes contaminated.	
6.2. Environmental precaution	S	
Environmental precautions	Slightly soluble in water. Avoid discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for containment and cleaning up		

Methods for cleaning up	Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Wear protective clothing as described in Section 8 of this safety data sheet. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Large Spillages: Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. For waste disposal, see Section 13. Wash thoroughly after dealing with a spillage.		
6.4. Reference to other section	ns		
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.		
SECTION 7: Handling and sto	prage		
7.1. Precautions for safe hand	dling		
Usage precautions	Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Do not handle broken packages without protective equipment. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Do not reuse empty containers.		
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.		
7.2. Conditions for safe storage	ge, including any incompatibilities		
Storage precautions	Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep away from oxidising materials, heat and flames. Store at temperatures not exceeding 25°C. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Protect containers from damage.		
Storage class	Flammable liquid storage.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure Control	ols/personal protection		
	our TWA): WEL 1000 ppm 1920 mg/m³		
WEL = Workplace Exposure Limit			
	Ethanol (CAS: 64-17-5)		

DNELConsumer - Oral; Long term systemic effects: 87 mg/kg/day
Consumer - Dermal; Long term systemic effects: 206 mg/kg/day
Industry - Dermal; Long term systemic effects: 343 mg/kg/day
Consumer - Inhalation; Short term local effects: 950 mg/m³
Industry - Inhalation; Short term local effects: 1900 mg/m³
Consumer - Inhalation; Long term systemic effects: 114 mg/m³
Industry - Inhalation; Long term systemic effects: 950 mg/m³

PNEC	- Fresh water; 0.96 mg/l - Sediment (Freshwater); 3.6 mg/kg - Marine water; 0.79 mg/l - Soil; 0.63 mg/kg
8.2. Exposure controls	
Appropriate engineering controls	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	For users with sensitive skin, it is recommended that suitable protective gloves are worn. Wear protective gloves made of the following material: Butyl rubber. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected.
Other skin and body protection	Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Keep container tightly sealed when not in use. Avoid release to the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

etti mormaaen en baele priye	
Appearance	Clear liquid.
Colour	Amber.
Odour	Alcoholic.
Odour threshold	Not available.
рН	Not available.
Melting point	Not available.
Initial boiling point and range	64°C
Flash point	12°C
Evaporation rate	0.75 (butyl acetate = 1)
Upper/lower flammability or explosive limits	Lower flammable/explosive limit: 4.3% Upper flammable/explosive limit: 19%
Vapour pressure	<110 kPa @ 25°C
Vapour density	>1
Relative density	0.864
Solubility(ies)	Slightly soluble in water.
Partition coefficient	Not available.
Auto-ignition temperature	425°C
Decomposition Temperature	Not available.

Viscosity	Not applicable.	
Explosive properties	Not considered to be explosive.	
Oxidising properties	Does not meet the criteria for classification as oxidising.	
9.2. Other information		
Volatile organic compound	This product contains a maximum VOC content of 622 g/l.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	See the other subsections of this section for further details.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.	
10.4. Conditions to avoid		
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.	
10.5. Incompatible materials		
Materials to avoid	Oxidising materials. Acids - oxidising.	
10.6. Hazardous decomposition	on products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.	
SECTION 11: Toxicological in	formation	
11.1. Information on toxicologi	cal effects	
Acute toxicity - oral		
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.	
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.	
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.	
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.	
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.	
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.	

Corm coll mutogonicity		
Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.	
Carcinogenicity		
Carcinogenicity	Based on available data the classification criteria are not met.	
IARC carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.	
Reproductive toxicity		
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity - development	Based on available data the classification criteria are not met.	
Specific target organ toxicity -	single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	Vapours may cause headache, fatigue, dizziness and nausea. Coughing, chest tightness, feeling of chest pressure.	
Ingestion	Symptoms following overexposure may include the following: Confusion, agitation and/or excitation. May cause nausea, headache, dizziness and intoxication. Unconsciousness.	
Skin contact	Prolonged contact may cause dryness of the skin.	
Eye contact	May cause temporary eye irritation.	
Route of entry	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
SECTION 12: Ecological Infor	mation	
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.	
12.1. Toxicity		
Toxicity	Based on available data the classification criteria are not met.	
12.2. Persistence and degrada	ability	
Persistence and degradability	The product is expected to be biodegradable.	
12.3. Bioaccumulative potentia	al	
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	Not available.	
12.4. Mobility in soil		

Mobility	The product is partly soluble in water and may spread in the aquatic environment. Volatile liquid. The product contains organic solvents which will evaporate easily from all surfaces.		
12.5. Results of PBT and vPv	3 assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.		
12.6. Other adverse effects			
Other adverse effects	None known.		
SECTION 13: Disposal consid	lerations		
13.1. Waste treatment method			
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.		
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.		
SECTION 14: Transport inform	nation		
General	For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.		
14.1. UN number			
UN No. (ADR/RID)	1263		
UN No. (IMDG)	1263		
UN No. (ICAO)	1263		
UN No. (ADN)	1263		
14.2. UN proper shipping nam	e		
Proper shipping name (ADR/RID)	PAINT		
Proper shipping name (IMDG)	PAINT		
Proper shipping name (ICAO)	PAINT		
Proper shipping name (ADN)	PAINT		
14.3. Transport hazard class(e	es)		
ADR/RID class	3		
ADR/RID classification code			
	F1		
ADR/RID label	F1 3		
ADR/RID label	3		

Transport labels



14.4. Packing group	
ADR/RID packing group	II
IMDG packing group	Ш
ADN packing group	Ш
ICAO packing group	II

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

EmS	F-E, S-E	
ADR transport category	2	
Emergency Action Code	•3YE	
Hazard Identification Number (ADR/RID)	33	
Tunnel restriction code	(D/E)	
14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code		
Transport in bulk according to	Not relevant.	

Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	Health and Safety at Work etc. Act 1974 (as amended).
	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009
	No. 716).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
	EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 453/2010 of 20 May 2010.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
	Dangerous Preparations Directive 1999/45/EC.
	Dangerous Substances Directive 67/548/EEC.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Classification procedures according to Regulation (EC) 1272/2008	Flam. Liq. 2 - H225: : Expert judgement.
Training advice	Read and follow manufacturer's recommendations.
Revision comments	Classification according to EC 1272/2008 (CLP).
Revision date	26/05/2015
Revision	6
Supersedes date	11/04/2014
SDS number	2875
Risk phrases in full	R11 Highly flammable.
Hazard statements in full	H225 Highly flammable liquid and vapour.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.